Ref. : AM 317

PRODUCT SAFETY DATA SHEET

THIS DOCUMENT CONFORMS TO THE E.E.C. DIRECTIVE 91/155/CEE

PRODUCT NAME : **Mitsubishi Motors Diamond Protect Leather and Fabric Protection**

1- COMPANY AND PRODUCT IDENTIFICATION

COMPANY NAME: Protection Brands
ADDRESS: Level 9, 3 Nexus Court, Mulgrave VIC 3107
PHONE: 1800 737 624

2- COMPOSITION/ INFORMATION ON INGREDIENTS

2.1 EINECS : Conforms
2.2 CHEMICAL NATURE : 30% dry material of FLUORO-COPOLYMER in Water and Isopropanol Alcohol.
2.3 SUBSTANCES : Hazardous ingredients : 5% and less than 15% of fluoro-copolymers irritating to eyes and risk of toxic thermal decomposition when burned.
2.4 PREPARATION : Contains : Isopropanol alcohol in water.

3- HAZARDS IDENTIFICATION

3.1 Irritating to the eyes.
3.2 Product contains fluoro-copolymer which when burned will decompose into toxic vapours.

4- FIRST AID MEASURES

GENERAL INFORMATION :
4.1 Ingestion : Do not induce vomiting, immediately call a physician and show him this sheet.
4.2 Eye contact : Immediately irrigate eye with clean water for 15 minutes and seek medical advice if irritation persists.
4.3 Skin contact : Wash off with soap and water.

5- FIRE FIGHTING MEASURES

5.1 Extinguishing media : Carbon dioxide, Foam, Dry chemical or fine spray water extinguisher.
5.2 Unusual fire and explosion hazards : Product contains fluoro-copolymer which when burned will decompose into toxic vapours.
5.3 Fire fighting equipment : Breathing apparatus.
5.4 Other recommendations : Cool drums/containers with water spray.

Ref. : AM 317

PRODUCT SAFETY DATA SHEET

THIS DOCUMENT CONFORMS TO THE E.E.C. DIRECTIVE 91/155/CEE

PRODUCT NAME : **Mitsubishi Motors Diamond Protect Leather and Fabric Protection**

6- ACCIDENTAL RELEASE MEASURES

6.1 Precautions for the individual : Do not smoke in area of the spill. Do not allow any open flame or heat source near the spill.
6.2 Protection of the environment : Do not allow product to pour into sewer, rivers, etc.
6.3 Spillage actions : Soak up with sand and /or sawdust and dispose of in accordance with local regulations.

7- HANDLING AND STORAGE

7.1 Handling : Avoid contact with eyes and prolonged contact with skin. Do not smoke when handling the product. Do not breath vapours. Use in well ventilated areas only.
7.2 Storage : Keep Product in its original container. Keep container closed when not in use. Do not store in direct sunlight. Store in a cool dry place.
7.3 Containers : Store in metallic containers. Do not store in plastic containers. If necessary, transfer product back into its original container.
7.4 Incompatible products : Concentrated acids and oxidant.

8- EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Special protection : Wear protective glasses for the eyes and rubber gloves for hands and arms. Avoid contact with eyes and skin. Do not smoke. Use in well ventilated areas only. If product is applied with airsol or similar spray mechanisms wear breathing apparatus.

9- PHYSICAL AND CHEMICAL PROPERTIES

9.1 Appearance at 20 deg C : Liquid
9.2 Colour : amber
9.3 Odour : Isopropanol
9.4 P.H. : Not determined
9.5 Flash point : > 60 deg C
9.6 Freezing point : - < 0 deg C 9.7 Solubility in water : soluble in water.

10- STABILITY AND REACTIVITY

10.1 Materials to avoid : Concentrated acids and oxidant.
10.2 Hazardous decomposition products : Product contains fluoro-copolymer which when burned will decompose into toxic vapours.

11- TOXICOLOGICAL INFORMATION

11.1 Health hazards : Irritating for skin and eyes. Do not breath vapours.

Ref. : AM 317

PRODUCT SAFETY DATA SHEET

THIS DOCUMENT CONFORMS TO THE E.E.C. DIRECTIVE 91/155/CEE

PRODUCT NAME : **Mitsubishi Motors Diamond Protect Leather and Fabric Protection**

12- ECOLOGICAL INFORMATION

12.1 Probable effect on the environment : Not determined.

13- DISPOSAL CONSIDERATIONS

13.1 Can be incinerated in accordance with local regulations.

14- TRANSPORT INFORMATION

14.1 E.E.C. Regulations : Non – hazardous for transport in its original container.

ADR/RID

Hazard Class : Not Regulated

IMDG

Hazard Class : Not Regulated

ICAO/IATA

Hazard Class Not Regulated

15- REGULATORY INFORMATION

15.1 Limited exposure value on work sight : Not determined.

15.2 Labelling : Xi IRRITANT

R36 Irritating to the eyes

S26 In case of contact with the eyes, immediately rinse with plenty of clear water and contact a doctor.

16- OTHER INFORMATION

16.1 Recommended uses and restrictions : Protection for leather and textile surfaces. Can be applied to porous surfaces such as clay, concrete and stone. Do not apply on surfaces which have been cleaned with acid and not properly rinsed off.

Whilst Protection Brands has taken every care to ensure accuracy of the data contained in this document, no guarantee or liability will be assumed. It is recommended that customers satisfy themselves of the suitability of all products purchased for their own use.