Ref. : AM 316

PRODUCT SAFETY DATA SHEET

THIS DOCUMENT CONFORMS TO THE E.E.C. DIRECTIVE 91/155/CEE

PRODUCT NAME :Mitsubishi Motors Diamond Protect Plastic & Vinyl Protection

1- COMPANY AND PRODUCT IDENTIFICATION

COMPANY NAME: Protection Brands
ADDRESS: Level 9, 3 Nexus Court, Mulgrave VIC 3107
PHONE: 1800 737 624

2- COMPOSITION/ INFORMATION ON INGREDIENTS

2.1 CHEMICAL NATURE : Mixture of polydimethyl siloxane emulsion.
2.2 SUBSTANCES : Less than 5% of nonionic surfactant.
May be irritating to eyes and skin.
2.3 PREPARATION : Contains : Preservative/disinfectant and quaternary ammonium compound.

3- HAZARDS IDENTIFICATION

3.1 Non hazardous product in normal conditions of use.

4- FIRST AID MEASURES

GENERAL INFORMATION :
4.1 Ingestion : Immediately rinse mouth with clean water. Contact a physician and show him this sheet.
4.2 Eye contact : Immediately irrigate eye with clean water for 15 minutes and seek medical advice if irritation persists.
4.3 Skin contact : Wash off with soap and water.

5- FIRE FIGHTING MEASURES

5.1 Extinguishing media : Carbon dioxide, Foam, Dry chemical or fine spray water extinguisher.
5.2 Unusual fire and explosion hazards : Water jet.
5.3 Fire fighting equipment : Breathing apparatus, protecting against risk of toxic thermal decomposition when burned.
5.4 Other recommendations : None.

Ref. : AM 316

PRODUCT SAFETY DATA SHEET

THIS DOCUMENT CONFORMS TO THE E.E.C. DIRECTIVE 91/155/CEE

PRODUCT NAME : Mitsubishi Motors Diamond Protect Plastic & Vinyl Protection

6- ACCIDENTAL RELEASE MEASURES

6.1 Spillage actions : Soak up with sand and /or sawdust and dispose of in accordance with local regulations. Do not pour product in sewer, rivers, etc. Small spills can be cleaned with an abundance of clear water.

7- HANDLING AND STORAGE

7.1 Handling : Use product in well ventilated areas. Avoid contact with eyes and prolonged contact with skin.
7.2 Storage : Keep Product in its original container. Keep container closed when not in use.

8- EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Special protection : None required.

9- PHYSICAL AND CHEMICAL PROPERTIES

9.1 Appearance at 20 deg C : Liquid
9.2 Colour : White
9.3 Odour : None
9.4 P.H. : 7.0
9.5 Flash point : > 120 deg C
9.6 Freezing point : - < 0 deg C
9.7 Solubility in water : Not soluble in water.

10- STABILITY AND REACTIVITY

10.1 Materials to avoid : Concentrated oxides and (nitric acid…)
10.2 Hazardous decomposition products : None known

11- TOXICOLOGICAL INFORMATION

11.1 Health hazards : May be irritating for skin and eyes after prolonged contact. Over 150°C a risk of toxic thermal decomposition can occur when burned.

12- ECOLOGICAL INFORMATION

12.1 Probable effect on the environment : Nonionic surfactant over 90% biodegradable. Not toxic for fish and similar organisms.

13- DISPOSAL CONSIDERATIONS

13.1 Can be incinerated in accordance with local regulations.

PRODUCT SAFETY DATA SHEET

THIS DOCUMENT CONFORMS TO THE E.E.C. DIRECTIVE 91/155/CEE

PRODUCT NAME : Mitsubishi Motors Diamond Protect Plastic & Vinyl Protection

14- TRANSPORT INFORMATION

14.1 E.E.C. Regulations : Non – hazardous for transport in its original container.

ADR/RID

Hazard Class : Not Regulated

IMDG

Hazard Class : Not Regulated

ICAO/IATA

Hazard Class Not Regulated

15- REGULATORY INFORMATION

15.1 Limited exposure value on work sight : None known.

15.2 Labelling : No regulatory information required. Conforms to the EEC Directive 89/542/CEE dated September 13 1989 concerning labelling procedures for cleaning products.

16- OTHER INFORMATION

16.1 Recommended uses and restrictions : Liquid emulsion for protecting plastique and vinyl surfaces.

Whilst Protection Brands has taken every care to ensure accuracy of the data contained in this document, no guarantee or liability will be assumed. It is recommended that customers satisfy themselves of the suitability of all products purchased for their own use.